



# Correspondence Management System

Control Number: AX-12-000-7317

Printing Date: April 27, 2012 11:31:23



## Citizen Information

Citizen/Originator: **Ex. 6 - Personal Privacy**

Organization: Citizens for Clean Water  
Address: Address Unknown

Constituent: N/A

Committee: N/A Sub-Committee: N/A

## Control Information

Control Number: AX-12-000-7317 Alternate Number: N/A  
Status: For Your Information Closed Date: N/A  
Due Date: N/A # of Extensions: 0  
Letter Date: Apr 23, 2012 Received Date: Apr 25, 2012  
Addressee: AD-Administrator Addressee Org: EPA  
Contact Type: EML (E-Mail) Priority Code: Normal  
Signature: SNR-Signature Not Required Signature Date: N/A  
File Code: 401\_127\_a General Correspondence Files Record copy  
Subject: Dimock Water Testing  
Instructions: For Your Information -- No action required  
Instruction Note: N/A  
General Notes: N/A  
CC: Brigid Lowery - OSWER-CPA  
Kecia Thornton - OSWER  
Michelle Crews - OSWER  
OSWER - OSWER -- Immediate Office

## Lead Information

Lead Author: N/A

### Lead Assignments:

Assigner	Office	Assignee	Assigned Date	Due Date	Complete Date
No Record Found.					

## Supporting Information

Supporting Author: N/A

### Supporting Assignments:

Assigner	Office	Assignee	Assigned Date
Carla Veney	OEX	R3	Apr 26, 2012

## History

Action By	Office	Action	Date
Carla Veney	OEX	Forward control to R3	Apr 26, 2012



# Correspondence Management System

Control Number: AX-12-000-7317

Printing Date: April 27, 2012 11:31:23



## Comments

Commentator	Comment	Date
No Record Found.		